

CLIENT:

CRANE KEMLITE ®

A CRANE CO. COMPANY

23525 W. Eames St. Channahon, IL 60410

Attn: Molly Dickerman

Test Report No:

178032

Date:

June 26, 2003

SAMPLE ID:

One set (8 pieces) of precut test specimens submitted and identified by the Client as:

Machine Direction: K030618 1-4 285 LHS, Cross Direction: K030618 5-8 285 LHS

DATE OF RECEIPT:

Sample entered into the SGS USTC Sample Tracking System on June 20, 2003 as

STN 36615.

TESTING PERIOD:

June 24 and 25, 2003.

AUTHORIZATION:

SGS USTC confirmation dated June 24, 2003 to Molly Dickerman. Client's fax

transmittal dated June 18, 2003 from Molly Dickerman.

TEST REQUESTED:

Flammability (Horizontal) per Federal Motor Vehicles Safety Standard (FMVSS) 302, "Flammability of Interior Materials", as specified in the Code of Federal

Regulations, Title 49, Transportation, Section 571.302.

Requirements:

Any portion (e.g., an individual test specimen) of a single or composite material which is within ½ inch of the occupant compartment air space shall not burn nor transmit flame across its surface, at a rate of more than 4 inches per minute.

TEST RESULTS:

Flammability: FMVSS 302 (15-Second Horizontal Test)

Specimen No.	Burn Time (Seconds)	Burn Length (Inches)	Burn Rate (In./Min.)	Compliance
1	404.5	10.0	1.5	
2	445.0	10.0	1.4	Pass
3	404.1	10.0	1.5	
4	375.3	10.0	1.6	

Tested by

JUK W1 72 ... Y. L. Yeung

Sr. Technician /hy

Page 1 of 1

Signed for and on behalf of SGS U.S. Testing Company Inc.

Norma C. Trinidad

Manager, Softlines Laboratory

This report is issued by SGS U.S. Testing Company Inc. under its General Conditions for Testing Services (copy available upon request). SGS U.S. Testing's responsibility under this report is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by SGS U.S. Testing for more than 30 days. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. Neither the name, seals, marks nor insignia of SGS U.S. Testing may be used in any advertising or promotional materials without the prior written approval of SGS U.S. Testing. The test report cannot be reproduced, except in full, without prior written permission of SGS U.S. Testing Company Inc.